In the Claims

- (Currently amended) A method of generating a <u>text SMS or MMS</u> message from a
 voice message spoken into a first mobile telephone <u>with SMS or MMS text capability</u>, the SMS or

 MMS message being sent to a second mobile telephone, the method comprising the steps of:
 - (a) an end-user message originator speaking the voice message into the first mobile telephone and <u>also</u> then selecting an option or function on the first mobile telephone to cause the voice message to be remotely transcribed to a <u>text format SMS or MMS</u> message for display on the second mobile telephone:
 - (b) converting the voice message to an audio file format;
 - (c) sending or streaming the audio file to a voice to text
 - transcription system to enable an operator to intelligently transcribe the voice message into a transcribed text message; and
 - (d) causing the transcribed text message to be sent to a <u>required destination</u> the <u>second mobile</u> telephone as the <u>SMS or MMS message</u>.
- (Previously presented) The method of Claim 1 in which the transcribed text message has added to it the time and date of the voice message.

Application No. 10/554,022

- 3. (Previously presented) The method of Claim 1 in which a further voice message is originated at another mobile telephone or at a landline telephone and a SMS or MMS text message is generated from that further message using the method of Claim 1.
- (Previously presented) The method of Claim 1 in which the transcribed text message has added to it the originator name and/or number (MSISDN).
- (Previously presented) The method of Claim 4 in which the transcribed text message
 is displayed on the second mobile telephone as though it was sent directly from an originator of the
 voice message.
- (Previously presented) The method of Claim 1 in which the voice to text transcription system does not display to the operator the telephone number associated with the first mobile telephone.
- 7. (Previously presented) The method of Claim 1 in which the voice to text transcription system displays to the operator an option to re-route the audio file to a different operator that is more suited to transcribing the voice message because of linguistic, dialect, or cultural reasons.
- (Previously presented) The method of Claim 1 in which the voice to text transcription system provides the operator with a searchable list of specialised terms that are relevant to cultural

Docket No. 5035-223US/32004 USA Page 4

sayings, regular events, sporting events, media events, other kinds of newsworthy events to assist the operator in accurately transcribing those specialised terms.

- (Previously presented) The method of Claim 1 in which the operator represents the
 mood of the caller leaving the voice message in the transcribed text message using either a written
 description or an emoticon.
- (Previously presented) The method of Claim 1 in which the operator succinctly summarises the voice message.
- (Previously presented) The method of Claim 1 in which the operator summarises the voice message to fit it the 160 character SMS limit or subsequent concatenated text messages.
- 12. (Previously presented) The method of Claim 1 in which the operator omits from the transcribed text message any hesitations, artefacts, or unnecessary repetitions present in the voice message.
- (Previously presented) The method of Claim 1 in which the text message is sent to
 the second mobile telephone in a format previously specified as appropriate by the user of the device.

- 14. (Previously presented) The method of Claim 1 in which the originator of the voice message speaks the name of the intended recipient and the operator or a speech recognition system is able to extract the relevant telephone number of the second mobile telephone, email address or other address by looking up that name in a web-based address book associated with the originator.
- 15. (Previously presented) The method of Claim 1 comprising the further step of parsing the transcribed text message and using the parsed data in an application running on the second mobile telephone.
- 16. (Previously presented) The method of Claim 15 in which parsing and using the parsed data involves one or more of the following:
- (a) extracting a phone number and allowing it to be used (to make a call), saved, edited or added to a phone book;
- (b) extracting an email address and allowing it to be used, saved, edited or added to an address book:
- (c) extracting a physical address and allowing it to be used, saved, edited or added to an address book;
- (d) extracting a web address (hyperlink) and allow it to be used, edited, saved or added to
 an address book or browser favourites;
- (e) extracting a time for a meeting and allow it to be used, saved, edited and added to an agenda as an entry;

Page 6

- extracting a number and saving it to one of the device applications; (f)
- extracting a real noun and providing options to search for it or, look it up on the web (g) (WAP or full browser).
- 17. (Previously presented) The method of Claim 1 in which, for mobile telephones that support less than a certain amount of text, there is an initial look up of the text limitations in a database and then an automatic suggestion of appropriate maximum recording time to the originator.
- 18 (Previously presented) The method of Claim 1 when used in conjunction with an automated voice recognition system to speed up the processing of the audio file.
- 19. (Previously presented) A text message which has been transcribed from a voice message and is provided to a mobile telephone using the method of Claim 1.
- 20. (Previously presented) A mobile telephone programmed with an application that enables an end-user originator of a voice message to cause a SMS or MMS text message to be generated from that voice message by the performance of the method of Claim 1.

21. (New) The method of Claim 1 in which the step of selecting an option or function to cause the voice message to be remotely transcribed to a SMS or MMS message occurs either before or after the step of the end-user message originator speaking the voice message.